

Using @ARGV

```
#!/usr/bin/perl -w
# 2006 09 25 - rdl Script24.pl
# do the equivalent of a shell's echo:
use strict;
my $a;
while($a = shift @ARGV)
{
    print "$a ";
}
print "\n";
```



Using @ARGV

```
#!/usr/bin/perl -w
# 2005 09 25 - rdl Script25.pl
# count the number of arguments
use strict;
my $count = 0;
map { $count++ } @ARGV;
print "$count\n";
```



Loop control operators

Perl has three interesting operators to affect looping: `next`, `last`, and `redo`.

- ☞ `next` → start the next iteration of a loop immediately
- ☞ `last` → terminate the loop immediately
- ☞ `redo` → restart this iteration (very rare in practice)



The next operator

The `next` operator starts the next iteration of a loop immediately, much as `continue` does in C.



The next operator

```
#!/usr/bin/perl -w
# 2006 09 25 - rdl Script26.pl
# sum the positive elements of an array to demonstrate next
use strict;
my $sum = 0;
my @arr1 = -10..10;
foreach(@arr1)
{
    if($_ < 0)
    {
        next;
    }
    $sum += $_;
}
print $sum;
```



The last operator

```
#!/usr/bin/perl -w
# 2006 09 25 - rdl Script27.pl
# read up to 100 items, print their sum
use strict;
my $sum = 0;
my $count = 0;
while(<STDIN>)
{
    $sum += $_;
    $count++;
    if($count == 100)
    {
        last;
    }
}
print "\$count == $count, \$sum == $sum \n";
```



The redo operator

The rarely used `redo` operator goes back to the beginning a loop block, but it does not do any retest of boolean conditions, it does not execute any increment-type code, and it does not change any positions within arrays or lists.



The redo operator

```
#!/usr/bin/perl -w
# 2006 09 25 - rdl Script29.pl
# demonstrate the redo operator
use strict;
my @strings = qw/ apple plum pear peach strawberry /;
my $answer;
foreach(@strings)
{
    print "Do you wish to print '$_'? ";
    chomp($answer = uc(<>));
    if($answer eq "YES")
    {
        print "PRINTING $_ ...\n";
        next;
    }
}
```




```
if($answer ne "NO")
{
    print "I don't understand your answer '$answer'! Please use either 'yes' or
redo;
}
}
```



The reverse function

If used to return a list, then it reverses the input list.

If used to return a scalar, then it first concatenates the elements of the input list and then reverses all of the characters in that string.

Also, you can reverse a hash, by which the returned hash has the keys and values swapped from the original hash. (Duplicate value \rightarrow key in the original hash are chosen randomly for the new key \rightarrow value.)



Examples of reverse

```
#!/usr/bin/perl -w
# 2006 09 25 - rdl Script30.pl
# demonstrate the reverse function
use strict;
my @strings = qw/ apple plum pear peach strawberry /;
print "\@strings = @strings\n";
my @reverse_list = reverse(@strings);
my $reverse_string = reverse(@strings);
print "\@reverse_list = @reverse_list\n";
print "\$reverse_string = $reverse_string\n";
```



Example of reverse for hash

```
#!/usr/bin/perl -w
# 2006 09 25 - rdl Script31.pl
# demonstrate the reverse operator
use strict;
my %strings = ( 'a-key' , 'a-value', 'b-key', 'b-value', 'c-key', 'c-value');
print "\%strings = ";
map {print " ( \ $key = $_ , \ $value = $strings{$_} ) "} (sort keys %strings);
print " \n";
my %reverse_hash = reverse(%strings);
print "\%reverse_hash = ";
map {print " ( \ $key = $_ , \ $value = $reverse_hash{$_} ) "} (sort keys %reverse_hash);
print " \n ";
```



Example of reverse for hash with duplicate

```
#!/usr/bin/perl -w
# 2006 09 25 - rdl Script33.pl
# demonstrate the reverse operator for hash with duplicate values
use strict;
my %strings = ( 'a-key' , 'x-value', 'b-key', 'x-value', 'c-key', 'x-value');
print "\%strings = ";
map {print " ( \ $key = $_ , \ $value = $strings{$_} ) "} (sort keys %strings);
print " \n";
my %reverse_hash = reverse(%strings);
print "\%reverse_hash = ";
map {print " ( \ $key = $_ , \ $value = $reverse_hash{$_} ) "} (sort keys %reverse_hash);
print " \n ";
```



Examples of reverse

```
#!/usr/bin/perl -w
# 2006 09 25 - rdl Script32.pl
# demonstrate the reverse operator
use strict;
my $test = reverse(qw/ 10 11 12 /);
print "\$test = $test\n";
```



The sort function

The `sort` function is only defined to work on lists, and will only return sensible items in a list context. **By default, `sort` sorts lexically.**



The sort function

```
# Example of lexical sorting
@list = 1..100;
@list = sort @list;
print "@list ";
1 10 100 11 12 13 14 15 16 17 18 19 2 20 21 22
23 24 25 26 27 28 29 3 30 31 32 33 34 35 36 37
38 39 4 40 41 42 43 44 45 46 47 48 49 5 50 51 52
53 54 55 56 57 58 59 6 60 61 62 63 64 65 66 67
68 69 7 70 71 72 73 74 75 76 77 78 79 8 80 81 82
```



83 84 85 86 87 88 89 9 90 91 92 93 94 95 96 97
98 99



The sort function

You can define an arbitrary sort function. Our earlier mention of the `<=>` operator comes in handy now:

```
# Example of numerical sorting
@list = 1..100;
@list = sort { $a <=> $b } @list;
print "@list ";
@list = 1..100;
@list = sort { $a <=> $b } @list;
print "@list";
```



1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35
36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51
52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67
68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83
84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99
100



The sort function

The `$a` and `$b` in the function block are actually package global variables, and should not be declared by you as `my` variables.



The sort function

You can also use the `cmp` operator quite effectively in these type of anonymous sort functions:

```
@words = qw/ apples Pears bananas Strawberries cantaloupe grapes Blueberries /;
@words_alpha = sort @words;
@words_noncase = sort { uc($a) cmp uc($b) } @words;
print "\@words_alpha = @words_alpha\n";
print "\@words_noncase = @words_noncase\n";
# yields:
@words_alpha = Blueberries Pears Strawberries apples bananas cantaloupe grapes
@words_noncase = apples bananas Blueberries cantaloupe grapes Pears Strawberries
```



Hashes

We have already used a few examples of hashes. Let's go over exactly what is happening with them:

- ➡ A hash is similar to an array in that it has an index and in that it may take an arbitrary number of elements.
- ➡ An index for a hash is a string, not a number as in an array.
- ➡ Hashes are also known as “associative arrays.”



- ☞ The elements of a hash have no particular order.
- ☞ A hash contains key-value pairs; the keys will be unique, and the values are not necessarily so.



Hash declarations

- ☞ Hashes are identified by the % character.
- ☞ The name space for hashes is separate from that of scalar variables and arrays.



Hash element access

- ➔ One uses the syntax `$hash{$key}` to access the value associated with key `$key` in hash `%hash`.
- ➔ Perl expects to see a string as the key, and will silently convert scalars to a string, and will convert arrays silently.



Examples

```
$names[12101] = 'James';  
$names[12101] = 'Bob';      # overwrites value 'James'  
$name = $names[12101];     # retrieve value 'Bob';  
$name = $names[11111];     # undefined value returns undef
```

```
%hash = ('1', '1-value', 'a', 'a-value', 'b', 'b-value');  
@array = ('a');  
print $hash{@array};  
# yields  
1-value
```



Examples

```
%names = (1, 'Bob', 2, 'James');  
foreach(sort(keys(%names)))  
{  
    print "$_ --> $names{$_}\n";  
}  
# yields  
1 --> Bob  
2 --> James
```

```
map { print "$_ --> $names{$_}\n"; } sort(keys(%names));  
# yields  
1 --> Bob  
2 --> James
```



Referring to a hash as a whole

As might have been gleaned from before, you can use the `%` character to refer a hash as a whole.

```
%new_hash = %old_hash;
%fruit_colors = ( 'apple' , 'red' , 'banana' , 'yellow' );
%fruit_colors = ( 'apple' => 'red' , 'banana' => 'yellow' );

print "%fruit_colors\n";      # only prints '%fruit_colors', not keys or values
@fruit_colors = %fruit_colors;
print "@fruit_colors\n";     # now you get output...
# yields
banana yellow apple red
```



The keys and values functions

You can extract just the hash keys into an array with the `keys` function.

You can extract just the hash values into an array with the `values` function.

```
%fruit_colors = ( 'apple' => 'red' , 'banana' => 'yellow' );
@keys = keys(%fruit_colors);
@values = values(%fruit_colors);
print "\@keys = '@keys' , \@values = '@values'\n";
# yields
@keys = 'banana apple' , @values = 'yellow red'
```



The each function

Perl has a “stateful” function `each` that allows you to iterate through the keys or the key-value pairs of a hash.

```
%fruit_colors = ( 'apple' => 'red' , 'banana' => 'yellow' );  
while( ($key, $value) = each(%fruit_colors) )  
{  
    print "$key --> $value\n";  
}
```



The each function

Note: if you need to reset the iterator referred to by each, you can just make a call to either `keys(%fruit_colors)` or `values(%fruit_colors)` – so don't do that accidentally!

```
%fruit_colors = ( 'apple' => 'red' , 'banana' => 'yellow' );
while( ($key, $value) = each(%fruit_colors) )
{
    print "$key --> $value\n";
    # ...
    @k = keys(%fruit_colors);    # resets iterator!!!
}
# yields loop!
```



```
banana --> yellow  
banana --> yellow  
banana --> yellow  
banana --> yellow  
banana --> yellow  
.....
```



The exists function

You can check if a key exists in hash with the `exists` function:

```
if(exists($hash{'SOMEVALUE'}))  
{  
}
```



The delete function

You can remove a key-value pair from a hash with `delete`:

```
delete($hash{'SOMEVALUE'});
```

