

Multiprocessor EDF and Deadline Monotonic Schedulability Analysis

FSU Computer Science Technical Report TR-030401

Theodore P. Baker

Department of Computer Science
Florida State University
Tallahassee, FL 32306-4530
e-mail: baker@cs.fsu.edu

7 February 2003*

Abstract

Schedulability tests are presented for preemptive earliest-deadline-first and deadline-monotonic scheduling of periodic real-time tasks on a single-queue m -server system, in which the deadline of a task may be less than or equal to the task period. These results subsume and generalize several known utilization-based multiprocessor schedulability tests, and are derived via an independent proof.

1 Introduction

This paper derives simple sufficient conditions for schedulability of systems of periodic or sporadic tasks in a multiprocessor preemptive scheduling environment.

In 1973 Liu and Layland[13] proved that systems of independent periodic tasks for which the relative deadline of each task is equal to its period will be scheduled to meet all deadlines by an preemptive earliest-deadline-first (EDF) scheduling policy so long as total processing demand does not exceed 100 percent of the system capacity. Besides showing that

that EDF scheduling is optimal for such task systems, this utilization bound provides a simple and effective *a priori* test for EDF schedulability. In the same paper Liu and Layland showed that if one is restricted to a fixed priority per task the optimal priority assignment is rate monotonic (RM), where tasks with shorter periods get higher priority. Liu and Layland showed further that a set of n periodic tasks is guaranteed to meet deadlines on a single processor under RM scheduling if the system utilization is no greater than $n(2^{1/n} - 1)$. This test for RM scheduling and the 100% test for EDF scheduling have proven to be very useful tests for schedulability on a single processor system.

It is well known that the Liu and Layland results break down on multiprocessor systems[14]. Dhall and Liu[9] gave examples of task systems for which RM and EDF scheduling can fail at very low processor utilizations, essentially leaving all but one processor idle nearly all of the time. Reasoning from such examples, it is tempting to conjecture that there is unlikely to be a useful utilization bound test for EDF or RM scheduling, and even that these are not good real-time scheduling policies for multiprocessor systems. However, neither conclusion is actually justified.

The ill behaving examples have two kinds of tasks:

*Revision date : 2003/03/2615 : 30 : 20.

tasks with a high ratio of compute time to deadline, and tasks with a low ratio of compute time to deadline. It is the mixing of those two kinds of tasks that causes the problem. A policy that segregates the heavier tasks from the lighter tasks, on disjoint sets of CPU's, would have no problem with this example. Examination of further examples leads one to conjecture that such a segregated scheduling policy would not miss any deadlines until a very high level of CPU utilization is achieved, and even permits the use of simple utilization-based schedulability tests.

In 1997, Phillips, Stein, Torng, and Wein[16] studied the competitive performance of on-line multiprocessor scheduling algorithms, including EDF and fixed priority scheduling, against optimal (but infeasible) clairvoyant algorithms. Among other things, they showed that if a set of tasks is feasible (schedulable by any means) on m processors of some given speed then the same task set is schedulable by preemptive EDF scheduling on m processors that are faster by a factor of $(2 - \frac{1}{m})$. Based on this paper, several overlapping teams of authors have produced a series of schedulability tests for multiprocessor EDF and RM scheduling[2, 6, 7, 8, 18].

We have approached the problem in a somewhat different and more direct way, which allows for tasks to have preperiod deadlines. This led to more general schedulability conditions, of which the above cited schedulability tests are special cases. The rest of this paper presents the derivation of these more general multiprocessor EDF and deadline monotonic (DM) schedulability conditions, and their relationship to the above cited prior work.

This conference paper is a condensation and summary of two technical reports, one of which deals with EDF scheduling[4] and the other of which deals with deadline monotonic scheduling[5]. To fit the conference page limits, it refers to those reports (available via HTTP) for most of the details of the proofs. The preliminaries apply equally to both EDF and RM scheduling. When the two cases diverge, the EDF case is treated first, and in slightly more detail.

2 Definition of the Problem

Suppose one is given a set of n simple independent periodic tasks τ_1, \dots, τ_n , where each task τ_i has minimum interrelease time (called *period* for short) T_i , worst case compute time c_i , and relative deadline d_i , where $c_i \leq d_i \leq T_i$. Each task generates a sequence of *jobs*, each of whose release time is separated from that of its predecessor by at least T_i . (No special assumptions are made about the first release time of each task.) Time is represented by rational numbers. A time interval $[t_1, t_2)$, $t_1 \neq t_2$, is said to be of *length* $t_2 - t_1$ and contains the time values greater than or equal to t_1 and less than t_2 .

What we call a periodic task here is sometimes called a sporadic task. In this regard we follow Jane Liu[14], who observed that defining periodic tasks to have interrelease times exactly equal to the period "has led to the common misconception that scheduling and validation algorithms based on the periodic task model are applicable only when every periodic task is truly periodic ... in fact most existing results remain correct as long as interrelease times of jobs in each task are bounded from below by the period of the task".

Assume that the jobs of a set of periodic tasks are scheduled on m processors preemptively according to an EDF or DM scheduling policy, with dynamic processor assignment. That is, whenever there are m or fewer jobs ready they will all be executing, and whenever there are more than m jobs ready there will be m jobs executing, all with deadlines (absolute job deadlines for EDF, and relative task deadlines for DM) earlier than or equal to the jobs that are not executing.

Our objective is to formulate a simple test for schedulability expressed in terms of the periods, deadlines, and worst-case compute times of the tasks, such that if the test is passed one can rest assured that no deadlines will be missed.

Our approach is to analyze what happens when a deadline is missed. Consider a first failure of scheduling for a given task set, *i.e.*, a sequence of job release times and compute times consistent with the interrelease and worst-case compute time constraints that produces a schedule with the earliest possible

missed deadline. Find the first point in this schedule at which a deadline is missed. Let τ_k be the task of a job that misses its deadline at this first point. Let t be the release time of this job of τ_k . We call τ_k a *problem task*, the job of τ_k released at time t a *problem job*, and the time interval $[t, t + d_k)$ a *problem window*.

Definition 1 (demand) *The demand of a time interval is the total amount of computation that would need to be completed within the window for all the deadlines within the interval to be met.*

Definition 2 (load) *The load of an interval $[t, t + \Delta)$ is W/Δ , where W is the demand of the interval.*

If we can find a lower bound on the load of a problem window that is necessary for a job to miss its deadline, and we can show that a given set of tasks could not possibly generate so much load in the problem window, that would be sufficient to serve as a schedulability condition.

3 Lower Bound on Load

A lower bound on the load of a problem window can be established using the following well known argument, which is also the basis of [16]:

Since the problem job misses its deadline, the sum of the lengths of all the time intervals in which the problem job does not execute must exceed its slack time, $d_k - c_k$.

This situation is illustrated for $m = 3$ processors in Figure 1. The diagonally shaded rectangles indicate times during which τ_k executes. The dotted rectangles indicate times during which all m processors must be busy executing other jobs in the demand for this interval.

Lemma 3 (lower bound on load) *If W/d_k is the load of the interval $[t, t + d_k)$, where $t + d_k$ is a missed deadline of τ_k , then*

$$\frac{W}{d_k} > m(1 - \frac{c_k}{d_k}) + \frac{c_k}{d_k}$$




Figure 1: All processors must be busy whenever τ_k is not executing.

Proof: Let x be the amount of time that the problem job executes in the interval $[t, t + d_k)$. Since τ_k misses its deadline at $t + d_k$, we know that $x < c_k$. A processor is never idle while a job is waiting to execute. Therefore, during the problem window, whenever the problem job is not executing all m processors must be busy executing other jobs with deadlines on or before $t + d_k$. The sum of the lengths of all the intervals in the problem window for which all m processors are executing other jobs belonging to the demand of the interval must be at least $d_k - x$. Summing up the latter demand and the execution of τ_k itself, we have $W \geq m(d_k - x) + x > md_k - (m - 1)c_k$. If we divide both sides of the inequality by d_k , the lemma follows. \square

4 Bounding Carry-In

We now try to derive an upper bound on the load of a window leading up to a missed deadline. If we can find such an upper bound $\beta > W/\Delta$ it will follow from Lemma 3 that the condition $\beta \leq m - (m - 1)c_k/d_k$ is sufficient to guarantee schedulability. The upper bound β on W/Δ is the sum of individual upper bounds β_i on the load W_i/Δ due to each individual task in the window. It then follows that

$$\frac{W}{\Delta} = \sum_{i=1}^n \frac{W_i}{\Delta} < \sum_{i=1}^n \beta_i$$

While our first interest is in a problem window, it turns out that one can obtain a tighter schedulability condition by considering a well chosen downward extension $[t, t + \Delta)$ of a problem window, which we call a *window of interest*.

For any task τ_i that can execute in a window of interest, we divide the window into three parts, which we call the *head*, the *body*, and the *tail* of the window with respect to τ_i , as shown in Figure 2. The contribution W_i of τ_i to the demand in the window of interest is the sum of the contributions of the head, the body, and the tail. To obtain an upper bound on W_i we look at each of these contributions, starting with the head.

The *head* is the initial segment of the window up to the earliest possible release time (if any) of τ_i within or beyond the beginning of the window. More precisely, the head of the window is the interval $[t, t + \min\{\Delta, T_i - \phi\})$, such that there is a job of task τ_i that is released at time $t' = t - \phi$, $t < t' + T_i < t + T_i$, $0 \leq \phi < T_i$. We call such a job, if one exists, the *carried-in job* of the window with respect to τ_i . The rest of the window is the body and tail, which are formally defined closer to where they are used, in Section 5.

Figure 2 shows a window with a carried-in job. The release time of the carried-in job is $t' = t - \phi$, where ϕ is the offset of the release time from the beginning of the window. If the minimum interrelease time constraint prevents any releases of τ_i within the window, the head comprises the entire window. Otherwise, the head is an initial segment of the window. If there is no carried-in job, the head is said to be null.

The carried-in job has two impacts on the demand in the window:

1. It constrains the time of the first release of τ_i (if any) in the window, to be no earlier than $t + T_i - \phi$.
2. It may contribute to W_i .

If there is a carried-in job, the contribution of the head to W_i is the residual compute time of the carried-in job at the beginning of the window, which we call the *carry-in*. If there is no carried-in job, the head makes no contribution to W_i .

Definition 4 (carry-in) *The carry-in of τ_i at time t is the residual compute time of the last job of task τ_i released before t , if any, and is denoted by the symbol ϵ .*




Figure 3: Carry-in depends on competing demand.

The carry-in of a job depends on the competing demand. The larger the value of ϕ the longer is the time available to complete the carried-in job before the beginning of the window, and the smaller should be the value of ϵ . We make this reasoning more precise in Lemmas 5 and 9.

Lemma 5 (carry-in bound) *If t' is the last release time of τ_i before t , $\phi = t - t'$, and y is the sum of the lengths of all the intervals in $[t', t)$ where all m processors are executing jobs that can preempt τ_i , then*

1. *If the carry-in ϵ of task τ_i at time t is nonzero, then $\epsilon = c_i - (\phi - y)$.*
2. *The load of the interval $[t', t)$ is at least $(m - 1)(\phi - c_i + \epsilon)/\phi + 1$.*

Proof: Suppose τ_i has nonzero carry-in. Let x be the amount of time that τ_i executes in the interval $[t', t + \phi)$. For example, see Figure 3. By definition, $\epsilon = c_i - x$. Since the job of τ_i does not complete in the interval, whenever τ_i is not executing during the interval all m processors must be executing other jobs that can preempt that job of τ_i . This has two consequences:

1. $x = \phi - y$, and so $\epsilon = c_i - (\phi - y)$
2. The load of the interval $[t', t + \phi)$ is at least $(my + (\phi - y))/\phi$.




Figure 2: Window with head, body, and tail.

From the first observation above, we have $y = \phi - c_i + \epsilon$. Putting these two facts together gives

$$\frac{my + (\phi - y)}{\phi} = (m-1)\frac{y}{\phi} + 1 = (m-1)\frac{\phi - c_i + \epsilon}{\phi} + 1$$

□

Since the size of the carry-in, ϵ , of a given task depends on the specific window and on the schedule leading up to the beginning of the window, it seems that bounding ϵ closely depends on being able to restrict the window of interest. Previous analysis of single-processor schedulability (e.g., [13, 3, 10, 11]) bounded carry-in to zero by considering the *busy interval* leading up to a missed deadline, *i.e.*, the interval between the first time t at which a task τ_k misses a deadline and the last time before t at which there are no pending jobs that can preempt τ_k . By definition, no demand that can compete with τ_k is carried into the busy interval. By modifying the definition of busy interval slightly, we can also apply it here.

Definition 6 (λ -busy) A time interval is λ -busy if its combined load is at least $m(1-\lambda)+\lambda$. A downward extension of an interval is an interval that has an earlier starting point and shares the same endpoint. A maximal λ -busy downward extension of a λ -busy interval is a downward extension of the interval that is λ -busy and has no proper downward extensions that are λ -busy.

Lemma 7 (busy window) Any problem interval for task τ_k has a unique maximal λ -busy downward extension for $\lambda = \frac{c_k}{d_k}$.

Proof: Let $[t_0, t_0 + d_k)$ be any problem window for τ_k . By Lemma 3 the problem window is λ -busy, so

the set of λ -busy downward extensions of the problem window is non-empty. The system has some start time, before which no task is released, so the set of all λ -busy downward extensions of the problem window is finite. The set is totally ordered by length. Therefore, it has a unique maximal element. □

Definition 8 (busy window) For any problem window, the unique maximal $\frac{c_k}{d_k}$ -busy downward extension whose existence is guaranteed by Lemma 7 is called the busy window, and denoted in the rest of this paper by $[t, t + \Delta)$.

Observe that a busy window for τ_k contains a problem window for τ_k , and so $\Delta \geq d_k$.

Lemma 9 (λ -busy carry-in bound) Let $[t, t + \Delta)$ be a λ -busy window. Let $t - \phi$ be the last release time of τ_i , where $i \neq k$, before time t . If $\phi \geq d_i$ the carry-in of τ_i at t is zero. If the carry-in of τ_i at t is nonzero it is between zero and $c_i - \lambda\phi$.

Proof: The proof follows from Lemma 5 and the definition of λ -busy. □

5 EDF Schedulability

We want to find a close upper bound on the contribution W_i of each task τ_i to the demand in a particular window of time. We have bounded the contribution to W_i of the head of the window. We are now ready to derive a bound on the whole of W_i , including the contributions of head, body, and tail for the EDF case.

The *tail* of a window with respect to a task τ_i is the final segment, beginning with the release time of

the *carried-out job* of τ_i in the window (if any). The *carried-out job* has a release time within the window and its next release time is beyond the window. That is, if the release time of the carried-out job is t'' , $t'' < t + \Delta < t'' + T_i$. If there is no such job, then the tail of the window is null. We use the symbol δ to denote the length of the tail, as shown in Figure 2.

The *body* is the middle segment of the window, *i.e.*, the portion that is not in the head or the tail. Like the head and the tail, the body may be null (provided the head and tail are not also null).

Unlike the contribution of the head, the contributions of the body and tail to W_i do not depend on the schedule leading up to the window. They depend only on the release times within the window, which in turn are constrained by the period T_i and by the release time of the carried-in job of τ_i (if any).

Let n be the number of jobs of τ_i released in the body and tail. If both body and tail are null, $\Delta = \delta - \phi$, $n = 0$, and the contribution of the body and tail is zero. Otherwise, the body and or the tail is non-null, the combined length of the body and tail is $\Delta + \phi - T_i = (n - 1)T_i + \delta$, and $n \geq 1$.

Lemma 10 (EDF demand) *For any busy window $[t, t + \Delta)$ of task τ_k (*i.e.*, the maximal λ -busy downward extension of a problem window) and any task τ_i , the EDF demand W_i of τ_i in the busy window is no greater than*

$$nc_i + \max\{0, c_i - \phi\lambda\}$$

where $\phi = nT_i + d_i - \Delta$, $n = \lfloor (\Delta - d_i)/T_i \rfloor + 1$ if $\Delta \geq d_i$, and $n = 0$ otherwise.

Proof: We will identify a worst-case situation, where W_i achieves the largest possible value for a given value of Δ . For simplicity, we will risk overbounding W_i by considering a wide range of possibilities, which might include some cases that would not occur in a specific busy window. We will start out by looking only at the case where $\Delta \geq d_i$, then go back and consider later the case where $\Delta < d_i$.

Looking at Figure 4, it is easy to see that the maximum possible contribution of the body and tail to W_i is achieved when successive jobs are released as close together as possible. Moreover, if one imagines

shifting all the release times in Figure 4 earlier or later, as a block, one can see that the maximum is achieved when the last job is released just in time to have its deadline coincide with the end of the window. That is, the maximum contribution to W from the body and tail is achieved when $\delta = d_i$. In this case there is a tail of length d_i and the number of complete executions of τ_i in the body and tail is $n = \lfloor (\Delta - d_i)/T_i \rfloor + 1$.

From Lemma 9, we can see that the contribution ϵ of the head to W_i is a nonincreasing function of ϕ . Therefore, ϵ is maximized when ϕ is as small as possible. However, reducing ϕ increases the size of the head, and may reduce the contribution to W_i of the body and tail.

Looking at Figure 4, we see that the length of the head, $T_i - \phi$, cannot be larger than $\Delta - ((n - 1)T_i + d_i)$ without pushing all of the final execution of τ_i outside the window. Reducing ϕ below $nT_i + d_i - \Delta$ results in at most a linear increase in the contribution of the head, accompanied by a decrease of c_i in the contribution of the body and tail. Therefore the value of W_i is maximized for $\phi = nT_i + d_i - \Delta$.

We have shown that

$$W_i \leq nc_i + \epsilon \leq nc_i + \max\{0, c_i - \phi\lambda\}$$

It is now time to consider the case where $\Delta < d_i$. There can be no body or tail contribution, since it is impossible for a job of τ_i to have both release time and deadline within the window. If W_i is nonzero, the only contribution can come from a carried-in job. Lemma 9 guarantees that this contribution is at most $\max\{0, c_i - \phi\lambda\}$,

For $n = \lfloor \frac{\Delta - d_i}{T_i} \rfloor + 1 = 0$ we have

$$W_i \leq \max\{0, c_i - \phi\lambda\} \leq nc_i + \max\{0, c_i - \phi\lambda\}$$

□

Lemma 11 (upper bound on EDF load) *For any busy window $[t, t + \Delta)$ with respect to τ_k the EDF load W_i/Δ due to τ_i is at most β_i , where*

$$\beta_i = \begin{cases} \frac{c_i}{T_i} \left(1 + \frac{T_i - d_i}{d_k}\right) & \text{if } \lambda \geq \frac{c_i}{T_i} \\ \frac{c_i}{T_i} \left(1 + \frac{T_i - d_i}{d_k}\right) + \frac{c_i - \lambda T_i}{d_k} & \text{if } \lambda < \frac{c_i}{T_i} \end{cases}$$




Figure 4: Denslest possible packing of jobs.

Proof:

The objective of the proof is to find an upper bound for W_i/Δ that is independent of Δ . Lemma 10 says that

$$\frac{W_i}{\Delta} \leq \frac{nc_i + \max\{0, c_i - \phi\lambda\}}{\Delta}$$

Let α be the function defined by the expression on the right of the inequality above, *i.e.*,

$$\alpha(\Delta) = \frac{nc_i + \max\{0, c_i - \phi\lambda\}}{\Delta}$$

There are two cases:

Case 1: $\max\{0, c_i - \phi\lambda\} = 0$.

We have $c_i - \lambda\phi \leq 0$, and $\phi \geq c_i/\lambda$. Since we also know that $\phi < T_i$, we have $\lambda \geq \frac{c_i}{T_i}$. From the definition of n , we have

$$\begin{aligned} n = \lfloor \frac{\Delta - d_i}{T_i} \rfloor + 1 &\leq \frac{\Delta - d_i}{T_i} + 1 = \frac{\Delta - d_i + T_i}{T_i} \\ \alpha(\Delta) &= \frac{nc_i}{\Delta} \leq \frac{c_i}{T_i} \left(1 + \frac{T_i - d_i}{\Delta}\right) \\ &\leq \frac{c_i}{T_i} \left(1 + \frac{T_i - d_i}{d_k}\right) = \beta_i \end{aligned}$$

Case 2: $\max\{0, c_i - \phi\lambda\} \neq 0$.

We have $c_i - \lambda\phi > 0$. Since $\phi = nT_i + d_i - \Delta$,

$$\begin{aligned} \alpha(\Delta) &= \frac{nc_i + c_i - \lambda\phi}{\Delta} \\ &= \frac{n(c_i - \lambda T_i) + c_i - \lambda(d_i - \Delta)}{\Delta} \end{aligned}$$

We have two subcases, depending on the sign of $c_i - \lambda T_i$.

Case 2.1: $c_i - \lambda T_i > 0$. That is, $\lambda < \frac{c_i}{T_i}$.

From the definition of n , it follows that

$$\begin{aligned} n &\leq \frac{\Delta - d_i}{T_i} + 1 = \frac{\Delta - d_i + T_i}{T_i} \\ \alpha(\Delta) &= \frac{n(c_i - \lambda T_i) + c_i - \lambda(d_i - \Delta)}{\Delta} \\ &\leq \frac{\frac{\Delta - d_i + T_i}{T_i}(c_i - \lambda T_i) + c_i - \lambda(d_i - \Delta)}{\Delta} \\ &\leq \frac{c_i}{T_i} \left(1 + \frac{T_i - d_i}{\Delta}\right) + \frac{c_i - \lambda T_i}{\Delta} \\ &\leq \frac{c_i}{T_i} \left(1 + \frac{T_i - d_i}{d_k}\right) + \frac{c_i - \lambda T_i}{d_k} = \beta_i \end{aligned}$$

Case 2.2: $c_i - \lambda T_i \leq 0$. That is, $\lambda \geq \frac{c_i}{T_i}$.

From the definition of n , it follows that

$$\begin{aligned} n &> \frac{\Delta - d_i}{T_i} \\ \alpha(\Delta) &= \frac{n(c_i - \lambda T_i) + c_i - \lambda(d_i - \Delta)}{\Delta} \\ &< \frac{\frac{\Delta - d_i}{T_i}(c_i - \lambda T_i) + c_i - \lambda(d_i - \Delta)}{\Delta} \\ &< \frac{c_i}{T_i} \left(1 + \frac{T_i - d_i}{\Delta}\right) \\ &< \frac{c_i}{T_i} \left(1 + \frac{T_i - d_i}{d_k}\right) = \beta_i \end{aligned}$$

□

Using the above lemmas, we can prove the following theorem, which provides a sufficient condition for schedulability.

Theorem 12 (EDF schedulability test) *A set of periodic tasks τ_1, \dots, τ_n is schedulable on m*

processors using preemptive EDF scheduling if, for every task τ_k ,

$$\sum_{i=1}^n \min\{1, \beta_i\} \leq m(1 - \frac{c_k}{d_k}) + \frac{c_k}{d_k} \quad (1)$$

where β is as defined in Lemma 11.

Proof: The proof is by contradiction. Suppose some task misses a deadline. We will show that this leads to a contradiction of (1).

Let τ_k be the first task to miss a deadline and $[t, t + \Delta)$ be a busy window for τ_k , as in Lemma 7. Since $[t, t + \Delta)$ is $\frac{c_k}{d_k}$ -busy we have $W/\Delta > m(1 - \frac{c_k}{d_k}) + \frac{c_k}{d_k}$. By Lemma 11, $W_i/\Delta \leq \beta_i$, for $i = 0, \dots, n$. Since $t + \Delta$ is the first missed deadline, we know that $W_i/\Delta \leq 1$. It follows that

$$\sum_{i=1}^n \min\{1, \beta_i\} \geq \frac{W}{\Delta} > m(1 - \frac{c_k}{d_k}) + \frac{c_k}{d_k}$$

The above is a contradiction of (1). \square

The schedulability test above must be checked individually for each task τ_k . If we are willing to sacrifice some precision, there is a simpler test that only needs to be checked once for the entire system of tasks.

Corollary 13 (simplified EDF test) *A set of periodic tasks τ_1, \dots, τ_n is schedulable on m processors using preemptive EDF scheduling if*

$$\sum_{i=1}^n \min\{1, \frac{c_i}{T_i}(1 + \frac{T_i - d_i}{d_{min}})\} \leq m(1 - \lambda) + \lambda$$

where $\lambda = \max\{\frac{c_i}{d_i} \mid i = 1, \dots, n\}$ and $d_{min} = \min\{d_k \mid i = 1, \dots, n\}$.

Sketch of proof:

Corollary 13 is proved by repeating the proof of Theorem 12, adapted to fit the definitions of λ and d_{min} . \square

Goossens, Funk, and Baruah[8] showed the following:

Corollary 14 (Goossens, Funk, Baruah[8]) *A set of periodic tasks τ_1, \dots, τ_n , all with deadline*

equal to period, is guaranteed to be schedulable on m processors using preemptive EDF scheduling if

$$\sum_{i=1}^n \frac{c_i}{T_i} \leq m(1 - \lambda) + \lambda$$

where $\lambda = \max\{c_i/T_i \mid i = 1, \dots, n\}$.

Their proof is derived from a theorem in [7], on scheduling for uniform multiprocessors, which in turn is based on [16]. This can be shown independently as special case of Corollary 13, by replacing d_i by T_i .

The above cited theorem of Goossens, Funk, and Baruah is a generalization of a result of Srinivasan and Baruah[18], who defined a periodic task set $\{\tau_1, \tau_2, \dots, \tau_n\}$ to be a *light system on m processors* if it satisfies the following properties:

1. $\sum_{i=1}^n \frac{c_i}{T_i} \leq \frac{m^2}{2m-1}$
2. $\frac{c_i}{T_i} \leq \frac{m}{2m-1}$, for $1 \leq i \leq n$.

They then proved the following theorem.

Theorem 15 (Srinivasan, Baruah[18]) *Any periodic task system that is light on m processors is scheduled to meet all deadlines on m processors by EDF.*

The above result is a special case of Corollary 14, taking $\lambda = m/(2m - 1)$.


6 DM Schedulability

The analysis of deadline monotonic schedulability is similar to that given above for the EDF case, with a few critical differences.

Lemma 16 (DM demand) *For any busy window $[t, t + \Delta)$ for τ_k and any task τ_i , the DM demand W_i of τ_i in the busy window is no greater than $nc_i - \max\{0, c_i - \phi\lambda\}$, where $n = \lfloor (\Delta - \delta_i)/T_i \rfloor + 1$, $\phi = nT_i + \delta_i - \Delta$, $\delta_i = c_i$ if $i < k$, and $\delta_i = d_i$ if $i = k$.*

Sketch of proof:

The full analysis is given in [5]. We first consider the case where $i < k$, and then consider the special

Figure 5: Densest possible packing of jobs for τ_i , $i < k$.

case where $i = k$. Looking at Figure 5, one can see that W_i is maximized for $i < k$ when $\delta_i = c_i$ and $\phi = nT_i + c_i - \Delta$.

For the case $i = k$ it is not possible to have $\delta_i = c_i$. Since τ_k is the problem job, it must have a deadline at the end of the busy window. Instead of the situation in Figure 5, for τ_k the densest packing of jobs is as shown in Figure 6. That is, the difference for this case is that the length δ_i of the tail is d_i instead of c_i .

The number of periods of τ_k spanning the busy window in both is $n = \lfloor (\Delta - \delta_i) / T_i \rfloor + 1$, and the maximum contribution of the head is $\epsilon = \max\{0, c_i - \phi\lambda\}$. All differences are accounted for by the fact that $\delta_i = d_i$ instead of c_i . \square

Lemma 17 (upper bound on DM load) For any busy window $[t, t + \Delta)$ with respect to task τ_k the DM load W_i / Δ due to τ_i , $i < k$, is at most

$$\beta_i = \begin{cases} \frac{c_i}{T_i} \left(1 + \frac{T_i - \delta_i}{d_k}\right) & \text{if } \lambda \geq \frac{c_i}{T_i} \\ \frac{c_i}{T_i} \left(1 + \frac{T_i - \delta_i}{d_k}\right) + \frac{c_i - \lambda T_i}{d_k} & \text{if } \lambda < \frac{c_i}{T_i} \end{cases}$$

where $\delta_i = c_i$ for $i < k$, and $\delta_k = d_k$.

The above lemma leads to the following DM schedulability test.

Theorem 18 (DM schedulability test) A set of periodic tasks is schedulable on m processors using preemptive deadline-monotonic scheduling if, for every task τ_k ,

$$\sum_{i=1}^{k-1} \beta_i \leq m \left(1 - \frac{c_k}{d_k}\right)$$

where β_i is as defined in Lemma 17.

The proof is given in [5]. It is similar to that of Theorem 12, but using the appropriate lemmas for DM scheduling.

Corollary 19 (simplified DM test) A set of periodic tasks τ_1, \dots, τ_n is schedulable on m processors using preemptive DM scheduling if

$$\sum_{i=1}^n \frac{c_i}{T_i} \left(1 + \frac{T_i - \delta_i}{d_k}\right) \leq m(1 - \lambda) + \lambda$$

where $\lambda = \max\{\frac{c_i}{d_i} \mid i = 1, \dots, n\}$, $\delta_i = c_i$ for $i < k$, and $\delta_k = d_k$.

Corollary 19 is proved by repeating the proof of Theorem 18, adapted to fit the definition of λ .

If we assume the deadline of each task is equal to its period the schedulability condition of Corollary 19 for deadline monotone scheduling becomes a lower bound on the minimum achievable utilization for rate monotone scheduling.


Corollary 20 (RM utilization bound) A set of periodic tasks, all with deadline equal to period, is guaranteed to be schedulable on m processors, $m \geq 2$, using preemptive rate monotonic scheduling if

$$\sum_{i=1}^n \frac{c_i}{T_i} \leq \frac{m}{2} (1 - \lambda) + \lambda$$

where $\lambda = \max\{\frac{c_i}{T_i} \mid i = 1, \dots, n\}$.

The proof, which is given in [5], is similar to that of Theorem 18.

Analogously to Funk, Goossens, and Baruah[7], Andersson, Baruah, and Jonsson[2] defined a periodic task set $\{\tau_1, \tau_2, \dots, \tau_n\}$ to be a *light system* on m processors if it satisfies the following properties:


 Figure 6: Densetest possible packing of jobs for τ_k .

1. $\sum_{i=1}^n \frac{c_i}{T_i} \leq \frac{m^2}{3m-2}$
2. $\frac{c_i}{T_i} \leq \frac{m}{3m-2}$, for $1 \leq i \leq n$.

They then proved the following theorem.

Theorem 21 (Andersson, Baruah, Jonsson[2])
Any periodic task system that is light on m processors is scheduled to meet all deadlines on m processors by the preemptive Rate Monotonic scheduling algorithm.

The above result is a special case of our Corollary 20. If we take $\lambda = m/(3m-2)$, it follows that the system of tasks is schedulable to meet deadlines if

$$\sum_{i=1}^n \frac{c_i}{T_i} \leq \frac{m}{2} \left(1 - \frac{m}{3m-2}\right) + \frac{m}{3m-2} = \frac{m^2}{3m-2}$$

Baruah and Goossens[6] proved the following similar result.

Corollary 22 (Baruah, Goossens[6]) *A set of tasks, all with deadline equal to period, is guaranteed to be schedulable on m processors using RM scheduling if $\frac{c_i}{T_i} \leq 1/3$ for $i = 1, \dots, n$ and $\sum_{i=1}^n \frac{c_i}{T_i} \leq m/3$.*

This is a slightly weakened special case of our Corollary 20. For $\lambda = 1/3$, it follows that the system of tasks is schedulable to meet deadlines if

$$\sum_{i=1}^{n-1} \frac{c_i}{T_i} \leq \frac{m}{2} (1 - 1/3) + 1/3 = m/3 + 1/3$$

7 Ramifications

The theorems and corollaries above are intended for use as schedulability tests. They can be applied directly to prove that a task set will meet deadlines with DM or RM scheduling, either before run time for a fixed set of tasks or during run time as an admission test for a system with a dynamic set of tasks. With the simpler forms, one computes λ and then checks the schedulability condition once for the entire task set. With the more general forms, one checks the schedulability condition for each task. In the latter case the specific value(s) of k for which the test fails provide some indication of where the problem lies.

The schedulability tests of Theorems 12 and 18 allow preperiod deadlines, but are more complicated than the corresponding utilization bound tests. It is natural to wonder whether this extra complexity gains anything over the well known technique of “padding” execution times and then using the utilization bound test. By padding the execution times we mean that if a task τ_i has execution time c_i and deadline $d_i < T_i$, we replace it by τ'_i , where $c'_i = c_i + T_i - d_i$ and $d'_i = T'_i = T_i$.

With deadline monotonic scheduling, the original task τ_k can be scheduled to meet its deadline if the following condition holds for τ'_k :

$$\frac{c'_k}{T_k} + \sum_{i < k} \frac{c_i}{T_i} \leq \frac{m}{2} (1 - \lambda') + \lambda'$$

where $\lambda = \max_{i=1}^n \{\frac{c'_i}{T_i}, \lambda\}$.

There are cases where this test is less accurate than that of Theorem 18. Suppose we have three proces-

sors and three tasks, with periods $T_1 = T_2 = T_3 = 1$, deadlines $d_1 = d_2 = 1$, $d_3 = 1/2$, and compute times $c_1 = c_2 = c_3 = 1/4$. Obviously, the tasks are schedulable. However, if we apply the padded utilization test to τ_3 , we have $c'_3 = 1/4 + 1/2 = 3/4$, and $\lambda' = 3/4$. The test fails, as follows:

$$\sum_{i=1}^2 \frac{1}{4} + \frac{3}{4} = \frac{10}{8} > \frac{3}{2}(1 - 3/4) + 3/4 = \frac{9}{8}$$

On the other hand this set of tasks passes the test of Theorem 18, as follows:

$$\sum_{i=1}^2 \frac{11}{32} + \frac{1}{2} = \frac{27}{32} < 3(1 - 1/4) = \frac{72}{32}$$

A similar padding technique can be applied for EDF, but again it is sometimes less accurate than Theorem 12.

Of course, these schedulability tests are only *sufficient* conditions for schedulability. They are like the Liu and Layland $n(2^{1/n} - 1)$ utilization bound, both in being very conservative and in still having practical value.

Though the utilization tests are not tight in the sense of being necessary conditions for schedulability, Goossens, Funk, and Baruah[8] showed that the EDF bound is tight in the sense that there is no utilization bound $\hat{U} > m(1 - \lambda) + \lambda + \epsilon$, where $\epsilon > 0$ and $\lambda = \max\{c_i/T_i \mid i = 0, \dots, n\}$, for which $U \leq \hat{U}$ guarantees EDF schedulability. Since the EDF utilization bound is tight it is natural to wonder whether the same is true of the RM bound. The following theorem shows that it is not tight.

Theorem 23 (looseness of RM utilization bound)

There exist task sets that are not feasible with pre-emptive RM scheduling on m processors and have utilization arbitrarily close to $\lambda + m \ln(\frac{2}{1+\lambda})$, where λ is the maximum single-task utilization.

Proof: The task set and analysis are derived from Liu and Layland[13]. The difference is that here there are m processors instead of one, and the utilization of the longest-period task is bounded by a λ .

The task set contains $n = km + 1$ tasks where k is an arbitrary integer greater than or equal to 1. The task execution times and periods are defined in terms of a set of parameters p_1, \dots, p_{k+1} as follows:

$$\begin{aligned} T_{(i-1)*m+j} &= p_i \text{ for } 1 \leq i \leq k, 1 \leq j \leq m \\ c_{(i-1)*m+j} &= p_{i+1} - p_i \text{ for } 1 \leq i \leq k, 1 \leq j \leq m \\ T_n &= p_{k+1} \\ c_n &= T_n - 2 \sum_{i=1}^k (p_{i+1} - p_i) \\ &= T_n - 2p_{k+1} - 2 \sum_{i=2}^k p_i + 2 \sum_{i=2}^k p_i + 2p_1 \\ &= 2p_1 - T_n \end{aligned}$$

These constraints guarantee that task τ_n barely has time to complete if all n tasks are released together at time zero. The RM schedule will have all m processors busy executing tasks $\tau_1, \dots, \tau_{n-1}$ for $\sum_{i=1}^k 2(p_{i+1} - p_i) = T_n - c_n$ out of the T_n available time units, leaving exactly c_n units to complete τ_n .

If $\frac{c_n}{T_n} = \lambda$, we have

$$\begin{aligned} \lambda T_n &= c_n = 2p_1 - T_n \\ T_n &= \frac{2p_1}{1 + \lambda} = p_{k+1} \end{aligned}$$

We will choose p_1, \dots, p_{k+1} to minimize the total utilization, which is

$$\begin{aligned} U &= \lambda + \sum_{i=1}^k m \frac{p_{i+1} - p_i}{p_i} \\ &= \lambda + m \left(\left(\sum_{i=1}^k \frac{p_{i+1}}{p_i} \right) - k \right) \end{aligned}$$

The partial derivatives of U with respect to p_i are

$$\begin{aligned} \frac{\partial U}{\partial p_1} &= m \left(\frac{2}{(1 + \lambda)p_k} - \frac{p_2}{p_1^2} \right) \\ \frac{\partial U}{\partial p_i} &= m \left(\frac{1}{p_{i-1}} - \frac{p_{i+1}}{p_i^2} \right) \text{ for } 1 < i < k \\ \frac{\partial U}{\partial p_k} &= m \left(\frac{1}{p_{k-1}} - \frac{2p_1}{(1 + \lambda)p_k^2} \right) \end{aligned}$$

Since the second partial derivatives are all positive, a unique global minimum exists when all the first

partial derivatives are zero. Solving the equations above for zero, we get

$$\begin{aligned}\frac{p_2}{p_1} &= \frac{2}{(1+\lambda)p_k} = \frac{p_{k+1}}{p_k} \\ \frac{p_{i+1}}{p_i} &= \frac{p_i}{p_{i-1}} \text{ for } 1 < i \leq k\end{aligned}$$

Let $x = \frac{p_{k+1}}{p_k} = \dots = \frac{p_2}{p_1}$. It follows that

$$\begin{aligned}x^k &= \prod_{i=1}^k \frac{p_{i+1}}{p_i} = \frac{p_{k+1}}{p_1} = \frac{2}{(1+\lambda)} \\ x &= \left(\frac{2}{1+\lambda}\right)^{\frac{1}{k}} \\ U &= \lambda + m(kx - k) = \lambda + mk \left(\left(\frac{2}{1+\lambda}\right)^{\frac{1}{k}} - 1 \right)\end{aligned}$$

L'Hôpital's Rule can be applied to find the limit of the above expression for large k , which is $\lambda + m \ln\left(\frac{2}{1+\lambda}\right)$. \square

We conjecture that the upper bound on the minimum achievable RM utilization achieved by the example above may be tight.

Srinivasan and Baruah[18] and Andersson, Baruah, and Jonsson[2] showed how to relax the restriction that $c_i/T_i \leq \lambda$ in the utilization tests, for situations where there are a few high-utilization tasks. They propose EDF and RM versions of a hybrid scheduling policy called EDF/US[λ], where $\lambda = m/(2m-2)$ for EDF and $\lambda = m/(3m-2)$ for RM.

EDF/RM-US[λ]:

(heavy task rule) If $c_i/T_i > \lambda$ then schedule τ_i 's jobs at maximum priority.

(light task rule) If $c_i/T_i \leq \lambda$ then schedule τ_i 's jobs according to their normal EDF or RM priorities.

They then proved two theorems, which we paraphrase and combine as follows:

Theorem 24 (SB[18] & ABJ[2]) *Algorithm EDF/RM-US[λ] correctly schedules on m processors any periodic task system with total utilization $U \leq m\lambda$.*

The proof is based on the observation that the upper bound on total utilization guarantees that the number of heavy tasks cannot exceed m . The essence

of the argument is that the algorithm can do no worse than scheduling each of the heavy tasks on its own processor, and then scheduling the remainder (which must be light on the remaining processors) using the regular EDF or RM algorithm.

The above result can be generalized slightly, as follows:

Theorem 25 *Algorithm EDF/RM-US[λ] correctly schedules on m processors any periodic task system such that only k tasks ($0 \leq k \leq m$) have utilization greater than λ and the utilization of the remaining tasks is at most $(m-k)(1-\lambda) + \lambda$ for EDF and at most $((m-k)/2)(1-\lambda) + \lambda$ for RM.*

Proof: As argued by Srinivasan and Baruah, the performance of this algorithm cannot be worse than an algorithm that dedicates one processor to each of the heavy tasks, and uses EDF or RM to schedule the remaining tasks on the remaining processors. The utilization bound theorem then guarantees the remaining tasks can be scheduled on the remaining processors. \square

If there is a need to support preperiod deadlines, this idea can be taken further, by changing the "heavy task rule" to single out for special treatment a few tasks that fail the test conditions of one of our schedulability tests that allows preperiod deadlines, and run the rest of the tasks using EDF or DM scheduling.

8 Conclusion and Future Work

We have demonstrated simple schedulability tests for EDF and DM scheduling on a homogeneous multiprocessor system with preperiod deadlines. These can be applied statically, or applied dynamically as an admission test. Besides extending and generalizing previously known utilization-based tests for EDF and RM multiprocessor schedulability by supporting pre-period deadlines, we also provide a distinct and independent proof technique.

In future work, we plan to look at how the utilization bounds presented here for dynamic processor assignment bear on the question of whether to use static or dynamic processor assignment[1, 15, 12]. We have

some experience dating back to 1991[17]) with an implementation of a fixed-priority multiprocessor kernel with dynamic migration of tasks. However, that experience is now out of date, due to advances in processor architectures that have increased the penalty for moving a task between processors. That penalty has not been taken into account in the present. A more complete analysis will require consideration of the task migration penalty.

References

- [1] B. Andersson, J. Jonsson, “Fixed-priority preemptive multiprocessor scheduling: to partition or not to partition”, *Proceedings of the International Conference on Real-Time Computing Systems and Applications*, Cheju Island, Korea (December 2000).
- [2] B. Andersson, S. Baruah, J. Jonsson, “Static-priority scheduling on multiprocessors”, *Proceedings of the IEEE Real-Time Systems Symposium*, London, England (December 2001).
- [3] T.P. Baker, “Stack-based scheduling of real-time processes”, *The Real-Time Systems Journal* 3,1 (March 1991) 67-100. (Reprinted in *Advances in Real-Time Systems*, IEEE Computer Society Press (1993) 64-96).
- [4] “An Analysis of EDF scheduling on a Multiprocessor”, technical report TR-030202, Florida State University Department of Computer Science, Tallahassee, Florida (February 2003). (*available at* <http://www.cs.fsu.edu/research/reports>)
- [5] T.P. Baker, “An analysis of deadline-monotonic scheduling on a multiprocessor”, technical report TR-030301, Florida State University Department of Computer Science, Tallahassee, Florida (February 2003). (*available at* <http://www.cs.fsu.edu/research/reports>)
- [6] S. Baruah, Joel Goossens, “Rate-monotonic scheduling on uniform multiprocessors”, UNC-CS TR02-025, University of North Carolina Department of Computer Science (May 2002).
- [7] S. Funk, J. Goossens, S. Baruah, “On-line scheduling on uniform multiprocessors”, *Proceedings of the IEEE Real-Time Systems Symposium*, IEEE Computer Society Press (December 2001).
- [8] J. Goossens, S. Funk, S. Baruah, “Priority-driven scheduling of periodic task systems on multiprocessors”, technical report UNC-CS TR01-024, University of North Carolina Computer Science Department, *Real Time Systems*, Kluwer, (to appear).
- [9] S.K. Dhall, C.L. Liu, “On a real-time scheduling problem”, *Operations Research* 26 (1) (1998) 127-140.
- [10] T.M. Ghazalie and T.P. Baker, “Aperiodic servers in a deadline scheduling environment”, *the Real-Time Systems Journal* 9,1 (July 1995) 31-68.
- [11] Lehoczky, J.P., Sha, L., Ding, Y., “The Rate Monotonic Scheduling Algorithm: Exact Characterization and Average Case Behavior”, *Proceedings of the IEEE Real-Time System Symposium* (1989) 166-171.
- [12] J.M. López, M. García, J.L. Díaz, and D.F. García, “Worst-case utilization bound for EDF scheduling on real-time multiprocessor systems”, *Proceedings of the 12th Euromicro Conference on Real-Time Systems* (2000) 25-33.
- [13] C.L. Liu and J. W. Layland, “Scheduling algorithms for multiprogramming in a hard-real-time environment”, *JACM* 20.1 (January 1973) 46-61.
- [14] J. W.S. Liu, *Real-Time Systems*, Prentice-Hall (2000) 71.
- [15] Oh, D.I., and Baker, T.P. “Utilization Bounds for N -Processor Rate Monotone Scheduling with Stable Processor Assignment”, *Real Time Systems Journal*, 15,1, September 1998. 183–193.
- [16] C.A. Phillips, C. Stein, E. Torng, J Wein, “Optimal time-critical scheduling via resource augmentation”, *Proceedings of the Twenty-Ninth Annual*

ACM Symposium on Theory of Computing (El Paso, Texas, 1997) 140-149.

- [17] P. Santiprabhob, C.S. Chen, T.P. Baker “Ada Run-Time Kernel: The Implementation”, *Proceedings of the 1st Software Engineering Research Forum*, Tampa, FL, U.S.A. (November 1991) 89-98.
- [18] A. Srinivasan, S. Baruah, “Deadline-based scheduling of periodic task systems on multiprocessors”, *Information Processing Letters* 84 (2002) 93-98.