Figure 1: Polling Server, IAT 1800, 69% Periodic Load

Figure 2: Polling Server, IAT 3600, 69% Periodic Load

Figure 3: Polling Server, IAT 5400, 69% Periodic Load

Figure 4: Deferrable Server, IAT 1800, 69% Periodic Load

Figure 5: Deferrable Server, IAT 3600, 69% Periodic Load

Figure 6: Deferrable Server, IAT 5400, 69% Periodic Load

Figure 7: Sporadic Server, IAT 1800, 69% Periodic Load

Figure 8: Sporadic Server, IAT 3600, 69% Periodic Load

Figure 9: Sporadic Server, IAT 5400, 69% Periodic Load

Figure 10: Exchange Server, IAT 1800, 69% Periodic Load

Figure 11: Exchange Server, IAT 3600, 69% Periodic Load

Figure 12: Exchange Server, IAT 5400, 69% Periodic Load

Figure 13: Polling Server SD, IAT 1800, 69% Periodic Load

Figure 14: Polling Server SD, IAT 3600, 69% Periodic Load

Figure 15: Polling Server SD, IAT 5400, 69% Periodic Load

Figure 16: Deferrable Server SD, IAT 1800, 69% Periodic Load

Figure 17: Deferrable Server SD, IAT 3600, 69% Periodic Load

Figure 18: Deferrable Server SD, IAT 5400, 69% Periodic Load

Figure 19: Sporadic Server SD, IAT 1800, 69% Periodic Load

Figure 20: Sporadic Server SD, IAT 3600, 69% Periodic Load

Figure 21: Sporadic Server SD, IAT 5400, 69% Periodic Load

Figure 22: Exchange Server SD, IAT 1800, 69% Periodic Load

Figure 23: Exchange Server SD, IAT 3600, 69% Periodic Load

Figure 24: Exchange Server SD, IAT 5400, 69% Periodic Load